

90 days to pay!

For orders over \$2,000

Free Shipping!

On orders over \$1,000

Dynaline Industries Inc. • www.dynaline.com • mail@dynaline.com

18043 - 111 Ave. Edmonton, AB T5S 2P2 • Tel.: 1-877-453-3964 • Fax: 1-877-453-5050

TRAILER BALLS – Individually Boxed

Bright chrome plated.
White box and UPC tag.
CNC Machining finish.
Exceeds V5 specs.



Part# Description

INTERNAL THREAD

	BALL DIA.	THREAD DIA.	THREAD LENGTH	GROSS LOAD RATING
11148	1-7/8"	3/4"	1-3/4"	2,000 lb.
11149	2"	3/4"	1-3/4"	3,500 lb.

EXTERNAL THREAD

	BALL DIA.	THREAD DIA.	THREAD LENGTH	GROSS LOAD RATING
11147	1-7/8"	1"	2"	3,500 lb.
11151	1-7/8"	3/4"	1-1/2"	2,000 lb.
11152	2"	3/4"	1-1/2"	3,500 lb.
11153	2"	1"	2"	5,000 lb.
11154	2-5/16"	1"	2"	5,000 lb.
11155	2-5/16"	1-1/4"	2"	7,500 lb.
11155H	2-5/16"	1-1/4"	2"	10,000 lb.

EXTERNAL THREAD – LONG SHANK

	BALL DIA.	THREAD DIA.	THREAD LENGTH	GROSS LOAD RATING
11250	1-7/8"	1"	3"	2,000 lb.
11251	1-7/8"	3/4"	3-1/4"	2,000 lb.
11252	2"	3/4"	3-1/4"	3,500 lb.
11257	2"	1"	3-1/4"	6,000 lb.

TRAILER BALLS – Packaged

Reusable plastic holder.
Stands on shelf
or hangs on peg.



Part# Description

INTERNAL THREAD

	BALL DIA.	THREAD DIA.	THREAD LENGTH	GROSS LOAD RATING
11148P	1-7/8"	3/4"	1-3/4"	2,000 lb.
11149P	2"	3/4"	1-3/4"	3,500 lb.

EXTERNAL THREAD

	BALL DIA.	THREAD DIA.	THREAD LENGTH	GROSS LOAD RATING
11147P	1-7/8"	1"	2"	3,500 lb.
11151P	1-7/8"	3/4"	1-1/2"	2,000 lb.
11152P	2"	3/4"	1-1/2"	3,500 lb.
11153P	2"	1"	2"	5,000 lb.
11154P	2-5/16"	1"	2"	5,000 lb.

TRAILER COUPLERS

All COUPLERS
made to exceed
SAE, VESC, V5,
and CSA specs.



Part# Description

CHANNEL COUPLERS

	FITS BALL SIZE	CHANNEL WIDTH	SAE CLASS	GROSS LOAD RATING
11156	1-7/8"	2"	1	2,000 lb.
11157	1-7/8"	2-1/2"	1	2,000 lb.
11158	1-7/8"	3"	1	2,000 lb.
11159	2"	2-1/2"	2	3,500 lb.
11159N	2"	2"	2	3,500 lb.
11160	2"	3"	2	3,500 lb.

A-FRAME COUPLERS

	FITS BALL SIZE	SAE CLASS	GROSS LOAD RATING
11161	2"	3	5,000 lb.
11162	2-5/16"	4	12,500 lb.

A-FRAME COUPLERS – Forged Head

	FITS BALL SIZE	TYPE	GROSS LOAD RATING
11861	2"	Low Profile	7,000 lb.
11862	2-5/16"	Low Profile	12,500 lb.

BALL MOUNTS

All BALL MOUNTS meet or exceed V5 specs.

Part# Description

STANDARD BALL MOUNTS

Robotic-welded. Fits 2" Receivers.

	FINISH	CLASS	TW	GTW	HOLE	DROP	LENGTH*
11600	Black	3	500 lb.	5,000 lb.	1"	Straight	10-1/2"
11601	Black	4	600 lb.	6,000 lb.	1"	2-1/2"	7-3/4"
11602	Black	4	600 lb.	6,000 lb.	1"	3"	8-3/4"
11603	Black	4	600 lb.	6,000 lb.	1"	6"	10-1/2"



HEAVY DUTY FORGED STEEL BALL MOUNTS – Solid Shank

Solid One-Piece Forged Ball Mount. Fits 2" Receivers.

	CLASS	TW	GTW	HOLE	DROP	RISE	LENGTH*
11586	4	1,000 lb.	10,000 lb.	1-1/4"	2"	1"	8-1/4"
11587	4	1,000 lb.	10,000 lb.	1-1/4"	3"	2"	8-1/4"
11588	4	1,000 lb.	10,000 lb.	1-1/4"	6"	5"	10-1/4"



CLASS II BALL MOUNTS – Solid Shank

Black enamel painted finish. Fits 1-1/4" Receivers.

	CLASS	TW	GTW	HOLE	DROP	LENGTH*
11670	2	340 lb.	3,400 lb.	3/4"	Straight	8-1/4"
11671	2	340 lb.	3,400 lb.	3/4"	2"	8-1/4"
11672	2	340 lb.	3,400 lb.	3/4"	3"	10-1/4"



CLEVIS MOUNT RECEIVER – Solid Shank

	FINISH	TW	GTW	HOLE	DROP/RISE	LENGTH*
11579	Black	500 lb.	5,000 lb.	1"	Straight	10-1/2"



REVERSIBLE BALL MOUNTS – Dual, Square Solid Shank

Welded steel balls. Black powder coated finish. Fits 2" Receivers.

	CLASS	BALL	TW	GTW	DROP	RISE	LENGTH*
11604	3-4	1-7/8"	200 lb.	2,000 lb.	Straight	Straight	7-1/4"
		2"	600 lb.	6,000 lb.			
11605	3-4	2"	600 lb.	6,000 lb.	Straight	Straight	7-1/4"
		2-5/16"	600 lb.	6,000 lb.			



REVERSIBLE TRI-BALL MOUNTS – Solid Square Bar

Welded steel balls. Black powder coated finish. Fits 2" Receivers.

	CLASS	BALL	TW	GTW	LENGTH*	DESCRIPTION
11606	3-4	1-7/8"	350 lb.	3,500 lb.	8"	With Tow Hook
	3-4	2"	600 lb.	6,000 lb.	8"	
	3-4	2-5/16"	1,000 lb.	10,000 lb.	6-1/2"	
11607	3-4	1-7/8"	350 lb.	3,500 lb.	8"	—
	3-4	2"	600 lb.	6,000 lb.	8"	
	3-4	2-5/16"	1,000 lb.	10,000 lb.	6-1/2"	



REVERSIBLE BALL MOUNTS – Solid Round Shank

Welded steel balls. Black powder coated finish. Fits Square 2" Receivers.

	CLASS	BALL	TW	GTW	DROP	RISE	LENGTH*
11646	3	1-7/8"	350 lb.	3,500 lb.	Straight	Straight	10-1/2"
		2"	600 lb.	6,000 lb.			
11647	3	2"	600 lb.	6,000 lb.	Straight	Straight	10-1/2"
		2-5/16"	1,000 lb.	10,000 lb.			
11648	3-4	1-7/8"	350 lb.	3,500 lb.	—	—	8"
		2"	600 lb.	6,000 lb.	—	—	8"
		2-5/16"	1,000 lb.	10,000 lb.	—	—	6-1/2"



**JUST
PULL THE PIN
& TURN TO CHANGE
BALL SIZE!**

* Length measured from center of Pin to center of Ball

BALL MOUNTS [... continued]

Part# Description

ADJUSTABLE BALL MOUNT



Solid steel construction. Black powder coated finish.
Fits 2" Receivers.

CLASS	TW	GTW	LENGTH*	DROP	RISE	
11595	3	500 lb.	5,000 lb.	12-1/2"	2" - 7-3/4"	up to 6-1/2"

ADJUSTABLE/REVERSIBLE TRI-BALL MOUNT – Square Shank



Reversible Square Ball Shank. Chromed welded balls.
Adjustable Square Mount Shank. Fits 2" Receivers.
Solid steel construction. Black powder coated finish.

CLASS	BALL	TW	GTW	LENGTH*	DROP/RISE
11597	1-7/8"	600 lb.	6,000 lb.	15-3/4"	Straight to 6"
	2"	750 lb.	7,500 lb.		
	2-5/16"	1,000 lb.	10,000 lb.		

ADJUSTABLE/REVERSIBLE TRI-BALL MOUNTS – Round Ball Shank



**JUST
PULL THE PIN
& TURN TO CHANGE
BALL SIZE!**

Specially designed Reversible Round Ball Shank with Chromed welded balls.
Adjustable Square Mount Shank. Fits 2" Receivers.
Black powder coated finish.

CLASS	BALL	TW	GTW	DROP/RISE	
11650	1-7/8"	600 lb.	6,000 lb.	Straight to 6-1/2"	—
	2"	1,000 lb.	10,000 lb.		
	2-5/16"	1,000 lb.	10,000 lb.		
11651	1-7/8"	600 lb.	6,000 lb.	Straight to 6-1/2"	with Tow Hook
	2"	1,000 lb.	10,000 lb.		
	2-5/16"	1,000 lb.	10,000 lb.		

* Length measured from center of Pin to center of Ball

PINTLE HOOKS

Part# Description

Solid steel construction.
Black enamel paint finish.
Includes removable Lock Pin & Chain.



COMBINATION PINTLE HOOKS – with Chrome Ball

	CAPACITY	BALL SIZE	TW	GTW
11615	8 Ton	1-7/8"	3,000 lb.	16,000 lb.
11616	8 Ton	2"	3,000 lb.	16,000 lb.
11617	8 Ton	2-5/16"	3,000 lb.	16,000 lb.



PINTLE HOOKS

	CAPACITY	TW	GTW
11618	5 Ton	2,000 lb.	10,000 lb.
11619	15 Ton	6,000 lb.	30,000 lb.
11620	10 Ton	2,000 lb.	20,000 lb.

PINTLE HOOK MOUNTS

Part# Description



Solid steel construction.
Black enamel paint finish.

	PLATE SIZE	TW	GTW	HOLE SETS
11610	7-1/2" x 5"	600 lb.	10,000 lb.	4
11630	11-1/4" x 12-1/2"	600 lb.	10,000 lb.	7

JACK MERCHANDISERS

Jacks slide into place and will not fall!

BUY 10 or more GET THE RACK FREE!



00636K Sturdy, free standing floor unit with the most popular DYNALINE Trailer Jacks. 10 pieces / 5 part numbers. Dimensions: 23" x 18" x 66-1/2"

PART#	DESCRIPTION	QTY	PART#	DESCRIPTION	QTY
11466	"Swing-Way" Boat Jack, 850 lb.	2	11472	Tube Mount, Side Wind, 5000 lb.	2
11468	Tube Mount, Top Wind, 3500 lb.	2	11473	Tube Mount, Side Wind, 5000 lb.	2
11469	Tube Mount, Top Wind, 3500 lb.	2	00636	Jack Rack	1

00637K Includes the most popular DYNALINE Trailer Jacks. 12 pieces / 7 part numbers.


PART#	DESCRIPTION	QTY
11468	Tube Mount, Top Wind, 3500 lb., 10" Lift	2
11469	Tube Mount, Top Wind, 3500 lb., 15" Lift	2
11471	Swivel Bracket Mount, 3500 lb., 15" Lift	2
11472	Tube Mount, Side Wind, 5000 lb., 15" Lift	2
11473	Tube Mount, Side Wind, 5000 lb., 10" Lift	2
11535	Tube Mount, Top Wind, Square Tube, 5000 lb., 15" Lift	1
11545	Tube Mount, Side Wind, Square Tube, 5000 lb., 15" Lift	1
00637	Jack Rack	1



JACKS

Part# Description


A-FRAME JACK – With Wheel



11463 Heavy Duty round tube with slotted triangular bracket for easy bolt mounting or welding to A-Frame type Trailer Couplers. Detachable 6-1/2" reinforced polycarbonate wheel. Mounting bolts not included. Black enamel painted finish.

SUPPORT CAPACITY	LIFT CAPACITY	LIFT	RETRACTED A	WINDING B	MECHANISM
5,000 lb.	2,000 lb.	15"	16"	29"	Top


"SWING-WAY" JACK



11466 Heavy Duty lockable swivel mechanism. Fits tongues up to 3" x 5". Includes mounting hardware. Non-detachable reinforced polycarbonate wheel.

SUPPORT CAPACITY	LIFT CAPACITY	LIFT	RETRACTED A	WINDING B	CASTER MECHANISM	CASTER DIA.
850 lb.	500 lb.	9-1/2"	12-1/2"	23"	Side	6"

IMPLEMENT JACKS



4-position Mount Tube, Lock-Pin & Handle. Black enamel painted.

SUPPORT CAPACITY	LIFT CAPACITY	LIFT	RETRACTED A	WINDING B	BASE MECHANISM	PLATE
11468 3,500 lb.	2,000 lb.	10"	11-1/4"	16"	Top	—
11469 3,500 lb.	2,000 lb.	15"	15-1/4"	21-3/4"	Top	—
11472 5,000 lb.	3,000 lb.	15"	15"	22"	Side	6-3/4" x 3-3/4"
11473 5,000 lb.	3,000 lb.	10"	11-1/2"	17-1/2"	Side	6-3/4" x 3-3/4"

BOOK NOW! • FILL THIS FORM AND FAX IT TO DYNALINE - 1-877-453-5050

PART #	QTY	PART #	QTY	PART #	QTY	PART #	QTY	PART #	QTY	PART #	QTY	PART #	QTY	PART #	QTY
00636K		11151		11155		11468		11595		11606		11620		11671	
00637K		11151P		11155H		11469		11597		11607		11630		11672	
11147		11152		11250		11472		11600		11610		11646			
11147P		11152P		11251		11473		11601		11615		11647			
11148		11153		11252		11579		11602		11616		11648		00636	FREE
11148P		11153P		11257		11586		11603		11617		11650		00637	FREE
11149		11154		11463		11587		11604		11618		11651		IF ORDERING 10 OR MORE JACKS	
11149P		11154P		11466		11588		11605		11619		11670			

Customer: _____

Location: _____ Ship Via: _____

P.O. #: _____ Order placed by: _____