

REX

POWERED BY DYNALINE



PRODUCT CATALOGUE

 rexequipment.ca

 1.877.453.3964

 [@rexorders@dynaline.com](mailto:rexorders@dynaline.com)

WHAT IS **REX** EQUIPMENT?

REX is proud to craft solutions that work as hard as you do. From our state-of-the-art farm equipment to our innovative attachments, every product we design is built with one goal in mind: to help you work smarter, not harder.

Our equipment isn't just about getting the job done—it's about doing it better. Engineered with precision and tested in the toughest conditions, Rex products deliver reliability you can count on year after year.



TABLE OF CONTENTS

TOW BEHIND

Field & Brush Mower.....	5
Atv Finishing Mower.....	6
Flail Mower	7
Single Axle Trailer.....	8
ATV Trailer.....	9
Trailer Tandem Axle	10
Utility Trailer	11
Spreader.....	12
Rear Grader Blade	13

3 POINT HITCH

Heavy Duty Rear Grader Blade	14
Flail Mower	15
Heavy Duty Slasher	16
Box Scraper.....	17
Rotary Tiller	18
Quick Hitch	19

GENERATORS

Open Frame Gas Generator.....	20
Silent Gas Inverter Generator	21
Silent Gas Inverter Generator	22

WATER PUMPS

Portable Semi-Trash Pump.....	23
Portable Water Pump.....	24
Emergency Fire Pump Kit.....	25

GENERAL EQUIPMENT

Hydraulic Post Digger.....	26
Sickle Mower	27
Stump Grinder	28
Garlic Planter	29
Garlic Roots Cutter.....	30
Garlic Splitter And Sorter	31

HEATERS

Propane Forced-Air Heater.....	32
Kerosene Air Heaters	33
Portable Electric Salamander Heaters	34

PRESSURE WASHERS


High Performance Pressure Washers.....	35, 36, 37
--	------------

RMD44

FIELD & BRUSH MOWER

This tow-behind, gas driven ATV field and brush mower provides several benefits, including its ability to handle tough terrain and cut through thick vegetation.

It is perfect for use in agricultural and forestry settings, where it can be used to clear brush, small trees, and tall grass. This mower is easy to tow behind an ATV and is adjustable to accommodate different types of terrain. It is powered by a gas engine, making it efficient and convenient.



Features:

- Ignition and on/off switch located by engine mount
- Throttle linkage mounted beside engine
- Accessible fuel shutoff valve

Details

# of Blades	Engine Model	Cutting Width	Cutting Height	Front Wheels	Back Wheels	Packaging Dimensions	Weight	Oil Capacity	Gas Capacity	HR/RPM
2	20HP Kohler CV680	44"	3.9" - 9.4"	13 x 5.00-6	16 x 6.5-8	87"L x 49"W x 32"H	750lbs	1.9 L	15 L	20/ 3600

Replacement Items


RMD44-1	Blade Replacement	RMD44-2	Belt Replacement
---------	-------------------	---------	------------------

DMH120

ATV FINISHING MOWER

This tow-behind, gas-driven finishing mower provides several benefits, including its ability to provide a smooth, even cut on lawns and fields. It is ideal for use in residential and commercial settings, where it can be used to maintain a well-manicured appearance.

This mower is easy to tow behind a tractor or ATV and is adjustable to accommodate different types of terrain. It is powered by a gas engine, making it efficient and convenient.



Details

# of Blades	Engine Model	Fuel Capacity	Oil Capacity	HR/RPM	Cutting Width	Packaging Dimensions	Weight
3 (double)	16HP Loncin LCIP92F-1	6.5 L	1.2 L	16/3600	48"	50"L x 47"W x 24"H	462lbs

Replacement Items

DMH120-1	Replacement Belt	DMH120-2	Replacement Blade
----------	------------------	----------	-------------------

ATV120 FLAIL MOWER

Designed with the acreage owner in mind, this flail mower easily attaches to your quad or lawn tractor to cut, mulch, and groom your entire property in a fraction of the time you're currently spending.

This versatile unit utilizes commercial grade hammer blades to stand up against the toughest grass, brush & overgrown vegetation. Its rear discharge design reduces the risk of injury from flying debris.

Kit Includes:

- Document Holder
- Front Mudguard
- Oil Level Monitor



Details

# of Blades	Blade Type	Engine Model	Fuel Capacity	Oil Capacity	HP/RPM	Cutting Width	Packaging Dimensions	Weight
28	Hammer	Loncin G420FD	6.5 L	1.1L	15/3600	48"	84"L x 34"W x 32"H	680lbs

Replacement Items

ATV120-1	Replacement Hammer Blades for ATV120
----------	--------------------------------------

LT-02

SINGLE AXLE TRAILER

This tow-behind ATV single axle trailer provides several benefits, including its ability to carry heavy loads and provide greater stability on rough terrain. Used on the most demanding terrain, it can be used to transport equipment, supplies, and materials.

The trailer is equipped with a single axle and larger wheels, making it more stable and able to handle heavier loads. It can be towed behind an ATV or small tractor, making it efficient and convenient.



Details


Capacity	Dump Angle	Hitch Ball Coupler	Tires	Packaging Dimensions	Weight
1100lbs (500kg)	35°	2"	22" X 11-8	64"L x 41"W x 27"H	274lbs

LT-16

ATV TRAILER ELECTRIC 3 STAGE HYDRAULIC TIPPER

The tow-behind ATV tandem axle trailer with tilt feature provides several benefits, including its ability to easily load and unload heavy equipment or materials.

It is generally used in an outdoor setting, where it can be purposed to transport equipment, supplies, and materials. This trailer is equipped with two axles and larger wheels for stability, and has a tilt feature that allows for easy loading and unloading. It can be towed behind an ATV or small tractor, making it efficient and convenient.



Details

Capacity	Tipper	Hitch Ball Coupler	Tires	Box Dimensions	Packaging Dimensions	Weight
3131lbs (1,420kg)	Electric Hydraulic 12V	2"	22" X 11-10	78.74"L x 42.13"W x 22.83"H	84"L x 45"W x 23"H	640lbs

LT-01B

TRAILER TANDEM AXLE

The tow-behind ATV tandem axle trailer provides several benefits, including its versatility, maneuverability, and ease of use. Used to transport equipment, supplies, and materials, this trailer is lightweight and easy to maneuver, making it perfect for use on rough terrain.



Tandem Axle:

- The complete chassis connects to a heavy-duty tandem axle system featuring 4-bolt hub bearings where the utility tires are mounted
- The tandem axle utilizes one pivoting pin that comes standard with a greaseable zerk fitting

Details

Capacity	Dump Angle	Hitch Ball Coupler	Tires	Box Dimensions	Packaging Dimensions	Weight
2200lbs (1,000kg)	35°	2"	22" X 11-10	78.74"Lx47.24"Wx22.83"H	84"L x 45"W x 23"H	640lbs

UT1100

UTILITY TRAILER

This utility trailer is a versatile, rugged solution designed for all your hauling needs. Built with a powder-coated 11-gauge steel frame and rust-resistant materials, this trailer is engineered for long-lasting durability and a reliable performance. With a capacity of 1,100 lbs, it offers ample strength for transporting firewood, yard projects, hunting gear, ice fishing supplies, and more.



Details

Capacity	Tires	Hitch Coupler Clearance	Tray-to-Ground Clearance	Box Dimensions	Packaging Dimensions	Weight
1100lbs (500 kg)	18" x 8.50-8	12"	16.5"	52"Lx 25.5"Wx 9"H	48"L x 38"W x 14"H	132lbs

SP003

SPREADER

The tow-behind ATV spreader provides several benefits, including its ability to evenly distribute fertilizer, seeds, and other materials on large areas.

Used for farming, gardening, and landscaping, it can save you time and effort. This spreader is easy to attach to an ATV and can be operated by a single person.

It is adjustable to accommodate different types of materials, and is efficient and convenient.



Details


Capacity	Spreader Reach	Coverage	Tire Dimensions	Packaging Dimensions	Weight
60L (56kg/125lbs)	10' x 12'	25,000 sq ft	4.10/3.50-6, 12" diameter	31"L x 22"W x 18"H	45lbs

RGB5

REAR GRADER BLADE

The ATV heavy duty rear grader blade provides several benefits, including its versatility, ease of use, and ability to handle a variety of grading tasks.

It can be attached to tractors and used to level roads, clear snow, and maintain driveways and parking areas. The blade is adjustable and can be angled to suit specific grading needs.



Details

Blade Length	Hitch Coupler	Tire Dimensions	Packaging Dimensions	Weight
5'	2"	16" x 6.50-8	96"Lx 24"W x 4"H	247lbs

Replacement Items


CUTEDGE-5	Replacement 5" cutting edge
-----------	-----------------------------

GBH5/GBH6

HEAVY DUTY REAR GRADER BLADE

The three-point hitch rear grader blade provides several benefits, including its versatility, ease of use, and ability to handle a variety of grading tasks.

It can be attached to tractors and used to level roads, clear snow, and maintain driveways and parking areas. The blade is adjustable and can be angled to suit specific grading needs.



Details

Model	Blade Length	Required HP	Packaging Dimensions	Weight
GBH5	5'	20-40 HP	60"L x 50"W x 44"H	200 lbs
GBH6	6'	30-55 HP	72"L x 50"W x 44"H	230 lbs

Replacement Items

CUTEDGE-5	Replacement 5' cutting edge	CUTEDGE-6	Replacement 6' cutting edge
-----------	-----------------------------	-----------	-----------------------------

AGL125 FLAIL MOWER

This three-point hitch, PTO-driven flail mower provides several benefits, including its ability to cut through thick vegetation, mulch materials into small pieces, and provide even distribution.

It is ideal for use in farming, gardening, and landscaping, where it can save time and effort. The mower is easy to attach to a tractor and can be operated by a single person. It is adjustable to accommodate different types of terrain and is equipped with durable blades for efficient operation.



Kit Includes:

- 6SPL-1" PTO Shaft
- 40 Standard Y Blades
- 3 Belts

Details

Required HP	Reach Angle	Rotor Tube Dia.	PTO	Cutting Width	Packaging Dimensions	Weight
20-40HP	90° up, 55° down	4-1/2"	540RPM	47"	59"L x 30"W x 25"H	600lbs

Replacement Items


AGL125-1	Replacement V-belt	AGL125-2	Replacement Y blade
----------	--------------------	----------	---------------------

SL170

HEAVY DUTY SLASHER

Three-point hitch, PTO-driven rough-cut mowers provide several benefits, including their ability to handle tough terrain and cut through thick vegetation.

They are ideal for use in agricultural and forestry settings, where they can be used to clear brush, small trees, and tall grass. These mowers are adjustable and can be used to mow both large and small areas. They are powered by the tractor's PTO, making them efficient and cost-effective.



Kit Includes:

- PTO Shaft

Details

Required HP	PTO Speed	Cutting Width	Packaging Dimensions	Weight
30-50HP	540RPM	67"	78.5"L x 72"W x 16.75"H	500lbs

Replacement Items


SL170-1	Replacement Blade
---------	-------------------

BSC5/BSC6

BOX SCRAPER

Three-point hitch box scrapers provide several benefits, including their ability to level, grade, and smooth out large areas of land. They are a versatile choice for use in farming, landscaping, and construction, where they can save time and effort.

These scrapers are easy to attach to a tractor and can be operated by a single person. They are adjustable to accommodate different types of terrain and are equipped with durable blades for efficient operation.



Heavy Duty steel frame construction and sturdy three-point hitch mount

Height adjustable and removable tines

Standard Grader Blade

Details

Model	Size	Required HP	Packaging Dimensions	Weight
BSC5	5'	20-35 HP	60"L x 28"W x 36"H	388lbs
BSC6	6'	25-45 HP	72"L x 28"W x 36"H	441lbs

Replacement Items

BSC-1	Replacement ripper shank with tooth	CUTEDGE-6	Replacement 6' cutting edge
CUTEDGE-5	Replacement 5' cutting edge		

TL125

ROTARY TILLER

This three-point hitch, PTO-driven rototiller provides several benefits, including efficiency, versatility, and ease of use. It is excellent for use in farming and gardening, where it can be used to prepare soil for planting and cultivation.

This tiller is adjustable and can be used to till both large and small plots of land. It is powered by the tractor's PTO, making it efficient and cost-effective.

Kit Includes:

- PTO Shaft



Details

Required HP	Working Width	Working Depth	PTO Speed	Packaging Dimensions	Weight
18-25 HP	49"	3-1/4" to 6"	540 RPM	54"L x 28"W x 32"H	518lbs

Replacement Items

TL125-1	Replacement Chain	TL125-3	Replacement left-bent blade
TL125-2	Replacement oil seal	TL125-4	Replacement right-bent blade

QHC1/QHC2

QUICK HITCH

Three-point hitch quick hitches provide several benefits, including their ability to attach and detach implements from a tractor without the need for manual lifting or adjusting.

They are ideal for use in farming and landscaping, where they can save time and effort. These hitches are durable, versatile, and compatible with a wide range of implements. They are designed to improve efficiency and reduce operator fatigue.



Details

Model	Category	Maximum HP	Ball Bracket Width	Mounting Pin Diameter	Packaging Dimensions	Weight
QCH1	1	50	27.5"	7/8"	33"L x 25"W x 8"H	58lbs
QCH2	2	50	33.2"	1-1/8"	36"L x 25"W x 9.5"H	124lbs

7500D-H

OPEN FRAME GAS GENERATOR

The 7500D-H open frame generator keeps you powered when it matters most. Perfect for outages, remote job sites, or outdoor events, it delivers dependable 120V/240V power for homes or businesses.

Built with an open frame for easy access, it is simple to maintain and ready to start every time with electric and recoil options. Rugged and built to last, the 7500D-H gives you reliable power wherever you need it.



Details

Engine Type	Gas Max Watts/ Running Watts	Gas Consumption Rate At Max Output	Volts	Engine Start	Fuel Capacity	Oil Capacity	Packaging Dimensions	Weight
HWASDAN H420	7000/6500	4.48L/hr	120V/240V	Recoil + Electric	Gas/25L	1.1 L	29"x21"x24"	200 lbs

2250IS

SILENT GAS INVERTER GENERATOR

The 2250IS silent inverter generator delivers clean, quiet power wherever you go. Compact and ultra-portable, it is ideal for camping, RV trips, tailgating, or emergency backup.

With under 2% voltage distortion, it is safe for sensitive electronics, while economy mode saves fuel by matching engine speed to your power needs. Reliable, efficient, and whisper-quiet, the 2250IS keeps your essentials running without the noise.



Details

Engine Type	Gas Max Watts/Running Watts	Gas Consumption Rate At Max Output	Volts	Engine Start	Fuel Capacity	Oil Capacity	Packaging Dimensions	Weight
HWASDAN H80i	1800W/2000W	1.72L/hr	120V	Recoil	4L	0.4 L	21"x13"x22"	45 lbs

4500IE

SILENT GAS INVERTER GENERATOR

The 4500IE silent inverter generator delivers clean, quiet power for any setting. Ideal for homes, campgrounds, and events, it provides stable electricity with less than 2% distortion, safe for sensitive electronics.

Economy mode boosts fuel efficiency, while built-in safeguards like overload protection and low oil shutdown ensure dependable, worry-free operation. Powerful, efficient, and whisper-quiet, the 4500IE is ready wherever you need reliable power.



Details

Engine Type	Gas Max Watts/ Running Watts	Gas Consumption Rate At Max Output	Volts	Engine Start	Fuel Capacity	Oil Capacity	Packaging Dimensions	Weight
HWASDAN H225i	3500W/4000W	2.5L/hr	120V	Recoil	12L	0.6 L	25"x19"x23"	89 lbs

50WB26/80WB26

PORTABLE SEMI-TRASH PUMP

Tackle tough water transfer jobs with confidence using the 50WB26 and 80WB26 semi-trash pumps. Designed for debris-filled water, these gas-powered, self-priming pumps deliver dependable performance anywhere, on construction sites, farms, or during emergency flood response.

Built tough with corrosion-resistant components and EPA-certified engines, they handle dirty water with ease while staying portable and easy to set up. Compact, durable, and ready for real-world conditions, the 50WB26 and 80WB26 keep your operation moving when it matters most.



Kit Includes:

- 1 Spark Plug Wrench
- 2 Connectors
- 1 Adapter



Details

Model	Engine Type	Rated Power	GPM/PSI	Suction/Lift	Fuel Capacity	Oil Capacity	Inlet/Outlet	Start	Packaging Dimensions	Weight
50WB26	HWASDAN H210	4300 W/3600 RPM	132/37	23'/85'	3.6 L	0.6 L	2"	Recoil	20"x18"x18"	71 lbs
80WB26	HWASDAN H210	4300 W/3600 RPM	290/37	23'/85'	3.6 L	0.6 L	3"	Recoil	21"x19"x19"	75 lbs

Replacement Items


50WB26-1	2" Tube adapter	80WB26-1	3" tube adapter
50WB26-2	Plastic filter net	80WB26-2	Steel filter kit for suction hose
2INCLAMP	2" Clamp for outlet + house	3INCLAMP	3" clamp for outlet + house
2INGASKET	2" Rubber gasket	3INGASKET	3" rubber gasket

50ZB28/80ZB28

PORTABLE WATER PUMP

The 50ZB28 and 80ZB28 gas-powered water pumps are built for fast, efficient water transfer in any location. Ideal for flood control, irrigation, construction dewatering, motocross track prep, and dust suppression, they deliver strong, dependable performance wherever water needs to move.

Both models feature self-priming designs for quick startup and durable, corrosion-resistant construction that handles small debris with ease. Lightweight and easy to transport, they provide powerful flow without relying on electricity, making them perfect for remote areas or emergency situations.



Kit Includes:

- 1 Spare Plug Wrench
- 2 Connectors
- 1 Adapter

Details

Model	Engine Type	Rated Power	GPM/PSI	Suction/Lift	Fuel Capacity	Oil Capacity	Inlet/Outlet	Start	Packaging Dimensions	Weight
50ZB28	HWASDAN H200	3800 W/3600 RPM	132/40	26'/92'	3.6 L	0.6 L	2"	Recoil	20"x17"x18"	51 lbs
80ZB28	HWASDAN H200	3800 W/3600 RPM	264/40	26'/92'	3.6 L	0.6 L	3"	Recoil	20"x17"x18"	56 lbs

Replacement Items

50ZB28-1	Tube Adapter	80ZB28-1	3" Tube Adapter For Parts
50ZB28-2	Plastic Filter Kit For Suction Hose	80ZB28-2	Plastic Filter Kit For Suction Hose
50ZB28-3	Intake+Check Valve	80ZB28-3	Intake+Check Valve
50ZB28-4	Water Outlet Sealing Gasket	80ZB28-4	Water Outlet Sealing Gasket
2INCLAMP	2" Clamp For Suction Hose	3INCLAMP	3" Clamp For Suction Hose
2INGASKET	Rubber Gasket. 2" Adapter	3INGASKET	Rubber Gasket. 3" Adapter

EFP210

EMERGENCY FIRE PUMP KIT

This fire pump kit delivers fast, reliable firefighting power in remote areas. Pumping up to 7,920 gallons per hour with a 170-foot discharge height, it draws water from ponds, pools, or other nearby sources to help contain fires and protect property. The 212cc 4-cycle engine starts quickly, and low oil shutdown adds extra protection. Compact and portable, it is ideal for farms, acreages, and remote Canadian locations.



Kit Includes:

- Fire Hose EFP210-8
- Suction Hose EFP210-7
- Fire Hose Nozzle EFP210-1

Details

Engine Type	Rated Power	GPM/PSI	Suction/Lift	Inlet/Outlet	Start	Packaging Dimensions	Weight
HWASDAN H210	4300 W/3600 RPM	132/90	24'/170'	2"	Recoil	30"x30"x23"	125 lbs

Replacement Items

EFP210-1	Fire Nozzle	EFP210-7	Suction Hose - 2" x 12'
EFP210-2	Foot Valve	EFP210-8	Fire Hose - 1.5" x 50'
EFP210-3	Fire Nozzle Adapter	EFP210-9	Sealing Gasket
EFP210-4	Reducing Adapter	EFP210-10	Whorl Plug
EFP210-5	Type A Camcock for Suction Port	EFP210-11	Pump Housing Assembly
EFP210-6	Type C Camlock for Suction Hose		

HD-01

HYDRAULIC POST DIGGER

A tow-behind gas-driven hydraulic post hole digger is a valuable tool for digging holes quickly and easily, reducing manual labor and time. It is highly efficient in digging deep and consistent holes for fence posts, signposts, and other applications.

With its adjustable auger diameter, depth, and speed settings, it can accommodate a variety of post sizes and soil types. It is portable and easy to operate, making it perfect for use in remote or hard-to-reach locations.



Details

Engine	Fuel Capacity	Hydraulic Fluid Capacity	Pressure Relief Setting	Motor Speed	Motor Torque
9HP Longcin G270F	6L	4 Gallons	2000PSI	55RPM	3800in.-lbs

Maximum Diameter	Maximum Depth	Maximum Tow Speed	Tires	Packaging Dimensions	Weight
30cm	213cm	45MPH	16"	82"L x 37"W x 28"H	560 lbs

Replacement Items

HD01-1	5" Replacement Auger for Post Hole Digger	HD01-4	10" Replacement Auger for Post Hole Digger
HD01-2	6" Replacement Auger for Post Hole Digger	HD01-5	12" Replacement Auger for Post Hole Digger
HD01-3	8" Replacement Auger for Post Hole Digger		

SC65

SICKLE MOWER

A walk-behind sickle mower is best for cutting long grass, weeds, and brush in tight or difficult to reach spaces where larger mowers can't fit. It is easy to operate, highly maneuverable, and can tackle rough terrain with ease.

Additionally, walk-behind sickle mowers are highly efficient and can cut through thick vegetation quickly, making them an excellent tool for maintaining overgrown areas.



Details

Engine	Fuel Capacity	Oil Capacity	Speed	Cutting Dimensions	Start	Packaging Dimensions	Weight
Ducar DH-212 6.5HP	3.6L	0.6L	30m/min.	80cm W x 1-8cm H x 2.5cm dia.	Recoil	48"L x 21"W x 25"H	195 lbs

Replacement Items

SC65-1	Replacement blade assembly	SC65-2	Shaft sleeve replacement for scythe mower
--------	----------------------------	--------	---

SG-01

STUMP GRINDER

A walk behind gas driven stump grinder is an efficient tool for removing tree stumps. It is portable and maneuverable, allowing access to tight spaces where larger machines cannot reach.

The grinder reduces stumps to chips, saving time and energy compared to manual removal methods. It also prevents the regrowth of the tree, improves landscaping, and eliminates tripping hazards.



Details

Engine	Fuel Capacity	Oil Capacity	Cutter Depth	HP/RPM	Cutting Wheel Dimensions	Packaging Dimensions	Weight
Jiangdong JF420	7L	1.1 L	9.3" above ground, 23.6" below ground	15/3600	12"x3.5"	42"L x 32"W x 22"H	283lbs

Replacement Items

SG01-1	Replacement straight blade	SG01-5	Replacement belt
SG01-2	Replacement left blade	SG01-6	Replacement brake connector
SG01-3	Replacement right blade	SG01-7	Replacement throttle cable
SG01-4	Clutch for stump grinder		


GP6

GARLIC PLANTER

The Garlic Planter is a reliable, mechanical device designed specifically for small and medium-sized farms. With this garlic farming machine, the planting process becomes fast and efficient. Mechanical garlic planting not only saves time but also ensures precise placement of bulbs in the soil.

Kit Includes:

- Disc-trencher mode for sandy and mixed ground (installed)
- Plough trencher for dry ground
- Extended stool area



Details

Rows	Line Spacing	Depth Adjustment	Packaging Dimensions	Weight
6	8"	2"	55"L x 55"W x 37.5"H	640lbs

GRC48

GARLIC ROOTS CUTTER

The Electric Garlic Root Stem Cutter is designed for optimal performance in cutting garlic root stems. The double-head cutting system ensures fast, precise, and efficient removal of garlic cloves' top tails and roots, saving you valuable time and effort. The dual-blade mechanism allows you to process more garlic at once, making it perfect for busy kitchens or large-scale garlic farming. Cut down your prep time and enjoy hassle-free garlic preparation.

Made from high-quality stainless steel, this Electric Garlic Root Stem Cutter is built to last. It is corrosion-resistant and wear-resistant, ensuring long-term use. The machine features a simple one-button operation, making it easy to use for anyone to use!



Battery Options (batteries not included):

- 4 x 12V batteries (series connection)
- 4 x 24V batteries (series connection)

Details

Battery Voltage	Cutting Area	Ideal Min. Clove Dia.	Packaging Dimensions	Weight
48V (not included)	3.6"	2"	16"L x 10.5"W x 8.5"H	12.5lbs

Replacement Items

GRC48-1	Replacement Blade Set (1 left & 1 right)
---------	--


GSS110

GARLIC SPLITTER AND SORTER

The Garlic splitting and sorting machine automates the splitting process, which would otherwise be time-consuming and labor-intensive if done manually. The splitter and sorter machine ensures that each garlic bulb is evenly split, reducing damage to the cloves and preserving their quality for planting or further processing.

Equipped with adjustable settings, the splitter and sorter machine allowing operators to handle different garlic sizes and varieties with ease offering versatility and adaptability. The machine significantly increases productivity, as it can process large quantities of garlic in a fraction of the time compared to manual methods.

The robust construction ensures durability, allowing it to withstand heavy use in commercial farming operations. It enhances efficiency, minimizes labor costs, and ensures a more consistent quality of split garlic, which is vital for both planting and food processing purposes.



Details

Voltage	Bulbs Per Hour	Packaging Dimensions	Weight
110V	800-1000kg	58" L x 40" W x 31" H	232lbs

ZB-G100A/ZB-G60A

PROPANE FORCED-AIR HEATER

These Propane Forced Air Heaters are robust, light weight and compact in design with strong and long lasting construction. The compact design makes them easy for handling, transportation and maintenance. The heaters include a pressure regulator and 3m Hose Flame failure. Overheat auto shut off protection safety gas valve with thermocouple is also included. Another safety feature is the motor is thermally protected and includes an electrovalve. The heaters have high efficiency combustion with no fumes and are odourless.



Kit Includes:

- 1.6m power cord
- Set of pressure regulators and 3m hose
- Thermostat control

Requires:

- 110V/60HZ power supply
- Propane fuel



Details

Model	Outlet Temperature	Pressure Output	BTU	Heating Area	Fuel Consumption	Packaging Dimensions	Weight
ZB-G100A	660°C	11" W.C.	70,000-100,00	410-586m ³	3.22-4.58L/hr	28"L x 11.2"W x 18.5"H	45lbs
ZB-G60A	660°C	11" W.C.	40,000-60,000	234-352m ³	1.83-2.76L/hr	28"L x 38.5"W x 22"H	70lbs

Replacement Items

G100-040000	Plastic Black Cover For ZB-G100A (#17)	G40-130000	Plastic Knobs For ZB-G60A & ZB-G100A (#16)
G10-010000	Handle For ZB-G60A & ZB-G100A (#15)	G40A-050000UL	Motor Assembly For ZB-G60A (#25)
G10-090000	Fan Switch For ZB-G60A & ZB-G100A (#32)	G40A-120000UL	Valve Body Assembly For ZB-G60A (#33)
G100A-050000UL	Motor Assembly For ZB-G100A (#25)	G40A-140000	Thermocouple Assembly For ZB-G60A & ZB-G100A (#23)
G100A-120000UL	Valve Body Assembly For ZB-G100A (#33)	G40A-150000	Ignition Needle For ZB-G60A (#26)
G100A-150000UL	Ignition Needle For ZB-G100A (#26)	G40A-170000	PC Board For ZB-G60A & ZB-G100A (#22)
G100A-210000	Copper Tube Assembly For ZB-G100A (#4)	G40A-210000	Copper Tube Assembly For ZB-G60A (#4)
G40-040000	Plastic Black Voer For ZB-G60A (#17)	G60-250000UL	Regulator & Hose Assembly For ZB-G100A & ZB-G60A (#21)
G40-070000	Fan Bracket For ZB-G60A & ZB-G100A (#18)		

ZB-K70/ZB-K125

KEROSENE AIR HEATERS

These kerosene forced air heaters are robust, light weight and compact in design with strong and long lasting construction. The compact design makes them easy for handling, transportation and maintenance. The heaters include a pressure regulator and 3m hose flame failure. Flame failure and overheat auto shut off protection. Another safety feature is the motor is thermally protected and includes an electronic flame control with photocell. The heaters have high efficiency combustion with no fumes and are odourless.

Kit Includes:

- 1.6m power cord
- Set of pressure regulators and 3m hose
- Thermostat control
- Oil tank and level indicator
- Oil tank filter
- Suction filter



Requires:

- 110V/60HZ power supply
- Kerosene fuel

Details

Model	Outlet Temperature	BTU	Heating Area	Fuel Consumption	Fuel Tank Size	Packaging Dimensions	Weight
ZB-K70	640°C	70,000	400m ³	2.01L/hr	19L	32"L x 11.5"W x 16"H	31lbs
ZB-K125	660°C	125,000	740m ³	3.6L/hr	38L	41.5"L x 21.3"W x 25"H	58lbs

Replacement Items

K125-070100	Nozzle For ZB-K125 (#26)	K45-120500	Blade For ZB-K70 (#24)
K125-120001	Motor For ZB-K125 (#50)	K45-120600	End Pump Cover For ZV-K70 & ZB-K125 (#25)
K125-120200	Pump Body For ZB-K125 (#22)	K45-120700	Output Filter For ZB-K70 & ZB-K125 (#30)
K125-120400	Rotor Kit For ZB-K125 (#23)	K45-120900	Lint Filter For ZB-K70 & ZB-K125 (#32)
K125-120500	Blade For ZB-K125 (#24)	K45-121000	Filter Kit For ZB-K70 & ZB-K125 (#33)
K125-121500	Air Pressure Gauge For ZB-125K (#51)	K45-121100	End Cover Filter For ZB-K70 & ZB-K125 (#34)
K125-130000	Fan Guard For ZB-K125 (#36)	K45-121300	Spring For ZB-K75 & ZB-K125 (#11)
K125-200102	PCB For ZB-K125 (#55)	K45-121400	Adjustment Screw For ZB-K70 & ZB-K125 (#35)
K125-330000	Wheel For ZB-K125 (#45)	K45-130000	Fan Guard For ZB-K70 (#36)
K215-121200	Ball For ZB-K70 & ZB-K125 (#10)	K45-240000	Photo Cell For ZB-K70 & ZB-K125 (#58)
K45-070300	Ignitor For ZB-K70 & ZB-K125 (#54)	K45-250202	Overheat Protector For ZB-K70 (#24)
K45-120100	Motor For ZB-K70 (#50)	K70-070100	Nozzle For ZB-K70 (#26)
K45-120200	Pump Body For ZB-K70 (#22)	K70-200102	PCB For ZB-K70 (#55)
K45-120400	Rotor Kit For ZB-K70 (#23)		

PSH10241/PSH15203/PSH15241

PORTABLE ELECTRIC SALAMANDER HEATERS

These portable electric heaters are ideal for workshops, garages or construction sites. They feature a rugged powder coated steel construction and safety features like a safety thermal cutout, auto reset overheat protection and a tip-over switch. The finned tubular heating elements are designed for efficiency and long life. The 10" wheels and handle make this heater very easy to move around and position. Safety guards on both the intake and output ends.



Rugged powder coated steel construction

Durable handle allows for easy moving

Finned tubular heating element designed for efficiency and long life.

Not Included:

- Power cord
- Plug

10" wheels



Details

Model	Kilowatts	Amps	Volts	BTU	Temperature Rise	Coverage Area	Phases	Packaging Dimensions	Weight
PSH10241	10 KW	41.7	240 V	34,120	46°F	1,500 ft ³ /min	1	28"L x 38.5"W x 22"H	73lbs
PSH15203	15 KW	41.7	208 V	51,180	61°F	1,500 ft ³ /min	3	28"L x 38.5"W x 22"H	70lbs
PSH15241	15 KW	62.5	240 V	51,180	46°F	1,500 ft ³ /min	1	28"L x 38.5"W x 22"H	70lbs

GPW2300

HIGH PERFORMANCE PRESSURE WASHER

Take on any cleaning challenge with our powerful line of pressure washers. Whether you are washing vehicles, cleaning construction equipment, or removing tough grime and stains from driveways and shop floors, our units deliver power and performance. Perfect for contractors, maintenance crews, and serious DIY-ers who need dependable cleaning performance day after day.

Kit Includes:

- 1.5" X 50' Long Fire Hose and Nozzle
- 2" X 12' Long Suction-Hose Kit
- Dolly



Details

Engine	GPM/PSI	Pump Type	Oil Capacity	Fuel Capacity	Hose Diameter	Start	Packaging Dimensions	Weight
5.5HP Vertical	2.0/3000	Axial Aluminum	0.55 L	1 L	1/2"	Recoil Start	22"L x 16"W x 25"H	60lbs

GPW2900

HIGH-PERFORMANCE PRESSURE WASHER

Take on any cleaning challenge with our powerful line of pressure washers. Whether you are washing vehicles, cleaning construction equipment, or removing tough grime and stains from driveways and shop floors, our units deliver power and performance. Perfect for contractors, maintenance crews, and serious DIY-ers who need dependable cleaning performance day after day.

Kit Includes:

- 4 types of quick connect nozzles: 0°, 25°, 40° and detergent
- Built-in detergent injection
- 3L detergent bottle



Details

Engine	GPM/PSI	Pump Type	Oil Capacity	Fuel Capacity	Hose Diameter	Start	Packaging Dimensions	Weight
6.5HP Horizontal	2.6/3500	Brass Axial	0.6 L	3.6 L	1/2"	Recoil Start	24"L x 17"W x 23"H	82lbs

GPW3100

HIGH-PERFORMANCE PRESSURE WASHER

Take on any cleaning challenge with our powerful line of pressure washers. Whether you are washing vehicles, cleaning construction equipment, or removing tough grime and stains from driveways and shop floors, our units deliver power and performance. Perfect for contractors, maintenance crews, and serious DIY-ers who need dependable cleaning performance day after day.

Kit Includes:

- 5 types of quick connect nozzles: 0°, 15°, 25°, 40° and detergent
- Built-in detergent injection
- 3L detergent bottle



Details

Engine	GPM/PSI	Pump Type	Oil Capacity	Fuel Capacity	Hose Diameter	Start	Packaging Dimensions	Weight
6.5HP Horizontal	2.5/3500	Brass Triplex	0.6 L	3.6 L	1/2'	Recoil Start	27"L x 17"W x 25"H	84lbs

REX

POWERED BY DYNALINE